

Request for Prior Authorization BIOLOGICALS FOR ARTHRITIS

FAX Completed Form To 1 (800) 574-2515 Provider Help Desk 1 (877) 776-1567

(PLEASE PRINT – ACCURACY IS IMPORTANT)

IA Medicaid Member ID #	Patient name		DOB		
Patient address					
Provider NPI	Prescriber name			Phone	
Prescriber address				Fax	
Pharmacy name	Address			Phone	
Prescriber must complete all information above. It must be legible, correct, and complete or form will be returned.					
Pharmacy NPI	Pharmacy fax	1	NDC		
Prior authorization is required for biologicals used for arthritis. Request must adhere to all FDA approved labeling for requested drug and indication, including age, dosing, contraindications, warnings and precautions, drug interactions, and use in specific populations. Payment for non-preferred biologicals for arthritis will be considered only for cases in which there is documentation of previous trials and therapy failures with two preferred biological agents. The required trials may be overridden when documented evidence is provided that use of these agents would be medically contraindicated.					
Preferred Adalimumab-aacf Adalimumab-adbm Adalimumab-fkjp Enbrel Humira Kineret Orencia ClickJect Pyzchiva	Simlandi Simponi Skyrizi Auto-Injector Skyrizi Cartridge Skyrizi Prefilled Syringe Taltz (step through one page) Tremfya Tyenne Auto-Injector Tyenne Prefilled Syringe Yusimry	ŕ	Cose llaris	emra zelx zia (prefilled syringe) entyx s zara ncia Prefilled Syringe	
Strength	Dosage Instructions	Quantity	Days Su	ipply	
Rheumatoid arthritis (RA); with Documentation of a trial and inadequate response, at a maximally tolerated dose, with methotrexate (hydroxychloroquine, sulfasalazine, or leflunomide may be used if methotrexate is contraindicated). Drug Name & Dose:Trial dates:					

470-4522 (Rev. 1/26) Page 1 of 2

Request for Prior Authorization BIOLOGICALS FOR ARTHRITIS

(PLEASE PRINT - ACCURACY IS IMPORTANT)

Psoriatic arthritis, moderate to severe; with Documentation of a trial and inadequate response, at a maximally tolera (leflunomide or sulfasalazine may be used if methotrexate is contraindic				
Drug Name &Dose:Trial dates:				
☐ Juvenile idiopathic arthritis with oligoarthritis; with				
Documentation of a trial and inadequate response to intraarticular glucomethotrexate at a maximally tolerated dose (leflunomide or sulfasalazin contraindicated).				
Intraarticular Glucocorticoid Injections: Drug Name & Dose:	Trial dates:			
Failure reason:				
Plus methotrexate or preferred oral DMARD trial: Drug Name & Dos Trial dates:Failure reason:				
☐ Polyarticular juvenile idiopathic arthritis (pJIA), moderate to severe; with				
Documentation of a trial and inadequate response, at a maximally tolerated dose, with methotrexate (leflunomide or sulfasalazine may be used if methotrexate is contraindicated).				
Drug Name &Dose:Trial dates: _ Failure reason:	Name &Dose:Trial dates:e reason:			
Systemic juvenile idiopathic arthritis (sJIA)				
Reason for use of Non-Preferred drug requiring prior approval:				
Other medical conditions to consider:				
Prescriber signature (Must match prescriber listed above.)	Date of submission			

IMPORTANT NOTE: In evaluating requests for prior authorization the consultant will consider the treatment from the standpoint of medical necessity only. If approval of this request is granted, this does not indicate that the member continues to be eligible for Medicaid. It is the responsibility of the provider who initiates the request for prior authorization to establish by inspection of the member's Medicaid eligibility card and, if necessary, by contact with the county Department of Health and Human Services, that the member continues to be eligible for Medicaid.

470-4522 (Rev. 1/26) Page 2 of 2